

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No. : 10/692,827 Confirmation No.: 9211
Applicant(s) : Baiyi ZHAO et al.
Filed : October 24, 2003
TC/A.U. : 1793
Title : *Late Transition Metal Catalysts for Olefin Oligomerizations*
Examiner : James E. McDONOUGH
Docket No. : 2002B130A/2
Customer No. : 23455
Date : December 23, 2009

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

APPEAL BRIEF SUBMITTED UNDER 37 C.F.R. § 41.31

This Appeal Brief is filed within four months of a previous notice of appeal filed on September 4, 2009. A petition for a two month extension of time is attached hereto. In the event it becomes separated from this appeal brief, the Commissioner is authorized to debit deposit account number 05-1712 for the necessary fees to make this paper timely.

<u>TABLE OF CONTENTS</u>	<u>Page 1</u>
I. REAL PARTY IN INTEREST	Page 2
II. RELATED APPEALS AND INTERFERENCES	Page 2
III. STATUS OF THE CLAIMS	Page 2
IV. STATUS OF THE AMENDMENTS	Page 2
V. SUMMARY OF THE CLAIMED SUBJECT MATTER	Page 2
VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL	Page 6
VII. ARGUMENT	Page 6
VIII. APPENDIX: Listing of Claims:	Page 15
IX. APPENDIX: EVIDENCE	Page 22
X. APPENDIX: RELATED PROCEEDINGS	Page 50

I. REAL PARTY IN INTEREST

The real party in interest in this appeal is ExxonMobil Chemical Patents, Inc., assignee of record, which is a wholly owned affiliate of Exxon Mobil Corporation.

II. RELATED APPEALS AND INTERFERENCES

There is one related appeal or interference. USSN 10/693,584, filed October 24, 2003 is also appealed. No decisions have been reached as of the filing date of this Brief.

III. STATUS OF THE CLAIMS

As of the filing date of this appeal brief:

Claims 43-56, 64 and 65 stand rejected.

Claims 41, 57-63 and 66 are withdrawn.

Claims 1-40, 42 have been cancelled.

The rejection of claims 43-56, 64 and 65 is appealed.


IV. STATUS OF THE AMENDMENTS

Applicant's Amendment dated January 29, 2009 has been entered.

There are no other amendments that have not been entered.


V. SUMMARY OF THE CLAIMED SUBJECT MATTER

The present invention as claimed is directed to a catalyst system comprising an activator (activator selected from the group consisting of alumoxane, aluminum alkyl, alkyl aluminum halide, alkylaluminum alkoxide, discrete ionic activator, and Lewis acid) and catalyst compound having the following formula:




wherein: (i) M is Ni, Fe, Co, Pd, or Pt; (ii) N is nitrogen and is bonded to M; (iii) P is





phosphorus and is bonded to M; (iv) R^1 and R^2 are independently selected from the group consisting of methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl dodecyl, cyclobutyl, cyclohexyl, phenyl, benzyl, phenethyl, tolyl, cyclopentyl, cycloheptyl, cyclooctyl, cyclononyl, cyclodecyl, and cyclododecyl; (v) R^3 and R^4 are independently selected from the group consisting of methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl dodecyl, cyclobutyl, cyclohexyl, phenyl, benzyl, phenethyl, tolyl, cyclopentyl, cycloheptyl, cyclooctyl, cyclononyl, cyclodecyl, cyclododecyl and substituents represented by the formulas:




where R' are independently, hydrogen or C_1 - C_{50} hydrocarbyl radicals, and any two adjacent R' may independently be joined to form a saturated or unsaturated cyclic structure;

(vi) Y is butenyl or has one of the following formulas:







where: (a) R' are independently hydrogen or C₁-C₅₀ hydrocarbyl radicals; (b) A is a non-hydrocarbon atom functional group; (c) E is a Group-14 element; (d) x is an integer from 1 to 4; and (e) y is an integer from 0 to 4; and (vii) X are independently selected from the group consisting of chloride, bromide, iodide, methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl, dodecyl, methoxide, ethoxide, dimethylamide, diethylethoxide, and phenoxide,

wherein the olefin polymerization or oligomerization catalyst system exhibits an activity that exceeds 8000 moles of ethylene per mole of M per hour.

The description of Applicant's catalyst system is found at pages 6 to 15, and the originally filed claims, particularly originally filed claims 2-20, and 28 -31 of the specification.

VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

The rejections to be reviewed on appeal are:

1. Whether the catalyst systems described in claims 43-49 are obvious under 35 U.S.C. § 103(a) over J. Am. Chem. Soc. 1999, 121, 7714-15 (Kocovsky) in view of US 6,307,087 ("Buchwald") in further view of US 5,658,982 (Baardmann) as evidenced by US2002/0197731 (McFarland) and US 2003/0032808 (Peters).
2. Whether the catalyst compounds described in claims 50-55, 64 and 65 are obvious under 35 U.S.C. § 103(a) over J. Am. Chem. Soc. 1999, 121, 7714-15 (Kocovsky) in view of US 6,307,087 ("Buchwald") in further view of US 5,658,982 (Baardmann) as evidenced by US2002/0197731 (McFarland) and US 2003/0032808 (Peters) in further view of US 6,262,196 (Meeking).
3. Whether the catalyst systems described in claim 56 are obvious under 35 U.S.C. § 103(a) over J. Am. Chem. Soc. 1999, 121, 7714-15 (Kocovsky) in view of US 6,307,087 ("Buchwald") in further view of US 5,658,982 (Baardmann) as evidenced by US2002/0197731 (McFarland) and US 2003/0032808 (Peters) in further view of US 2002/0107342 (Mawson).
4. Whether the catalyst compounds described in claims 43-56, 64 and 65 are obvious under the judicially created doctrine of obviousness-type double patenting over claims 2-6 and 9-17 of USSN 10/693,584, filed October 24, 2003.

VII. ARGUMENT

The art relied upon in the rejection of the claims under appeal is listed below:

1. J. Am. Chem. Soc. 1999, 121, 7714-15 ("Kocovsky");
2. US 6,307,087 ("Buchwald");
3. US 5,658,982 ("Baardmann");
4. US2002/0197731 ("McFarland");
5. US 2003/0032808 ("Peters");
6. US 6,262,196 ("Meeking");

7. US 2002/0107342 ("Mawson"); and
8. USSN 10/693,584.

Argument in Response to Rejection 1.

Claims 43-49 are rejected under 35 USC § 103(a) as being unpatentable over J. Am. Chem. Soc. 1999, 121, 7714-15 (Kocovsky) in view of US 6,307,087 (Buchwald) in further view of US 5,658,982 (Baardmann) as evidenced by US2002/0197731 (McFarland).

As stated in MPEP § 2141, the criteria set out in Graham v. John Deere (383 US 1, 148 USPQ 459(1966)) are used to assess obviousness. These are "...the scope and content of the prior art are to be determined, differences between the prior art and the claims at issue are to be ascertained and the level of ordinary skill in the pertinent art resolved."

The scope and content of the prior art: Kocovsky and Buchwald discloses ligand-metal complexes and methods to use them in small molecule reactions, such as allylic substitutions, amination, and Suzuki coupling (Kocovsky page 7714, first paragraph) and Suzuki coupling, amination, diaryl ether synthesis, ketone arylation and Heck reactions (Buchwald Figure 1, column 1, line 65- to column 2, line 1). Kocovsky and Buchwald are for use in small molecular synthesis and do not relate to olefin oligomerizations/polymerizations and catalyst systems for such.

The differences between the prior art and the claims at issue: Applicants claimed invention as a whole relates to a catalyst system for olefin polymerizations comprising an activator and a catalyst compound, where the catalyst compound is a metal atom (specifically iron, cobalt, nickel, palladium or platinum) bound to a bidentate ligand through a nitrogen atom and through a phosphorus atom, where a hydrocarbyl bridge connects the nitrogen and phosphorus atoms. This catalyst system is used for olefin polymerization, not small molecule reactions. With the activator present it is unlikely it would be useful for small molecule reactions.

Applicant's claimed invention differs from the prior art in that the prior art alone (or in combination) does not disclose the catalyst system which is a combination the activator and the catalyst compound, much less the compound of a metal atom specifically of iron, cobalt, nickel,

palladium or platinum bound to a bidentate ligand through a nitrogen atom and through a phosphorus atom where a hydrocarbyl bridge connects the nitrogen and phosphorus atoms and its use as a polymerization catalyst, particularly one that has an activity exceeding 8000 moles of ethylene per mole of metal, M, per hour.

The level of ordinary skill in the pertinent art: With regard to the level of skill in the art, it has long been established that catalysis is generally considered unpredictable merely from the chemical nature of the catalyst. Corona Co. V. Dovan (USSC 1928) 276 US 358, 369. Catalytic effects are not ordinarily predictable with certainty. In re Doumani et al. (CCPA 1960) 281 F.2d 215, 126 USPQ 408.

The Examiner suggests that Kocovsky teaches a catalyst compound that if modified by Buchwald would fall within Applicant's claims. Applicant respectfully disagrees. Applicant's claims are to catalyst systems which require an activator. The Examiner admits that Kocovsky and Buchwald do not disclose the use of an activator. The Examiner then suggests that it would be obvious to add a polymerization activator (such as the one in Baardman) to Kocovsky as modified by Buchwald. Applicant respectfully disagrees. One of ordinary skill in the art would not think to combine a *small molecule* catalyst (such as those disclosed in Kocovsky with or without Buchwald) with *parts* of a *polymerization* catalyst system. Kocovsky's catalysts (alone and as modified by Buchwald) make small molecules, e.g. amination, arylation. Kocovsky's compound is not shown to make a completely different material, like Applicant's polymers. This is an important distinction because as a general rule small molecule catalysts change a single molecule in some way (aminate it, arylate it, etc) whereas oligomerization/polymerization catalysts take multiple molecules and string them together into chains with multimeric repeat units (typically on the order of 10's to 1000's or even 10,000's of units or more). This is a fundamentally different way of performing chemistry. One of ordinary skill in the art does not look to a coupling catalyst or amination catalyst to make a polymer or oligomer, particularly one with a commercially viable activity (e.g., exceeding 8000 moles ethylene per mole of metal, M, per hour). As evidence to support this conclusion please see the Dr. Canich's declaration attached hereto.

Finally, the Examiner has offered no basis, and Applicant can also find no basis in the record, for combination of a concept applicable to catalytic complexes for making olefin

polymers with late transition metal-diphosphine/phosphoamine ligand complexes disclosed for functionalized compounds or asymmetrically substituted small molecules (Kocovsky/Buchwald). As such, even the combination of Kocovsky, Buchwald and Baardman does not disclose or suggest all the elements of the currently pending claims and thus does not render obvious the claimed invention.

Furthermore, the "evidence" of McFarland and Peters does not cure these deficiencies. McFarland and Peters are cited by the Examiner as evidence for the general concept that "catalyst can be used to catalyze more than one type of reaction." (page 4, Office action dated 5/13/09) Applicant respectfully disagrees. McFarland relates to a high throughput method for spectroscopic imaging of libraries which could be used for any of a number of compounds, including from peptides to heterogeneous and homogeneous catalyst compounds. McFarland (particularly paragraph [0054] cited by the Examiner) does not stand for the proposition that a single catalyst may be used for a multitude of reactions, McFarland stands for the proposition that the testing technique McFarland is claiming can be used with a multitude of compounds, including the list of kinds of catalysts at paragraph [0054]. In contrast Peters at paragraph [0116] does state that the "amido ligand transition metal complexes of the invention *are expected to* find utility as catalysts in numerous stoichiometric and catalytic transformations...." (emphasis added) and then lists 15 different reactions that might be possible. This language, however, is not enough in the unpredictable world of catalytic chemistry to teach one of ordinary skill in the art how to perform the specific reactions and which ones will actually work, particularly in commercially useful ways. Expectations and research plans are not sufficient as prior art. While obviousness does not require absolute predictability, at least some degree of predictability is required (see MPEP § 2143.02). The attached declaration from Dr. Canich provides evidence that one of ordinary skill in the art would not have expected Applicant's invention to work, despite the "expectations" listed in Peters' paragraph [0016].

Looking at the above rejection it is clear the Examiner is employing the forbidden tool of hindsight using Applicant's claims as a road map to find the various pieces of the claimed invention and then cobble them together. This is impermissible. Applicant respectfully submits that the Examiner cannot merely cite portions of references and generalize their applicability to cobble together a rejection asserting that a selective combination of such scattered elements (or, even worse, a combination of such scattered

elements and some elusive knowledge of an alleged skilled artisan) without a motivation or suggestion for one of ordinary skill in the art to do so. The number of elements of the cited prior art that one of ordinary skill in the art would have had to ignore, alter, generalize, or reason away in contradiction of the references themselves in order to attain the claimed invention seems to be more than the number of elements from the cited prior art on which the Examiner relies to render obvious the claimed invention. In light of the above, Applicant respectfully submits that the claimed invention is not obvious from (Kocovsky) in view of Buchwald in further view of Baardmann as evidenced by McFarland and Peters and requests the rejection be withdrawn.

Argument in Response to Rejection 2.

Claims 50-55, 64 and 65 are rejected under 35 U.S.C. § 103(a) as obvious over J. Am. Chem. Soc. 1999, 121, 7714-15 (Kocovsky) in view of US 6,307,087 ("Buchwald") in further view of US 5,658,982 (Baardmann) as evidenced by US2002/0197731 (McFarland) and US 2003/0032808 (Peters) in further view of US 6,262,196 (Mecking).

The arguments enumerated above apply to the instant rejection. As discussed above, the combination of Kocovsky/Buchwald/Baardmann with the "evidence" of McFarland and Peters does not disclose or suggest the claimed invention. Further, Mecking does not cure the deficiencies discussed above. The Examiner suggests that Mecking discloses various compounds useful as activators in polymerization reactions. Even if this is true, there is no credible scientific reason on the record as to why one of ordinary skill in the art would have combined these references. As discussed above, one of ordinary skill in the art would not think to combine a *small molecule* catalyst with *parts* of various *polymerization* catalyst systems. Kocovsky's catalysts (alone and as modified by Buchwald) make small molecules, e.g. amination, arylation. Kocovsky's compound is not shown to make a completely different material, like Applicant's polymers and nothing within Mecking alone or combined with Kocovsky/Buchwald/ Baardmann/McFarland/Peters, teaches Applicant's specific catalyst systems comprising activators. One of ordinary skill in the art does not look to a coupling catalyst or amination catalyst to make a polymer or oligomer. As evidence to support this conclusion please see Dr. Canich's declaration attached hereto.

In light of the above, Applicant respectfully requests the rejection be withdrawn.

Argument in Response to Rejection 3.

Claim 56 is rejected under 35 U.S.C. § 103(a) as obvious over J. Am. Chem. Soc. 1999, 121, 7714-15 (Kocovsky) in view of US 6,307,087 ("Buchwald") in further view of US 5,658,982 (Baardmann) as evidenced by US2002/0197731 (McFarland) and US 2003/0032808 (Peters) in further view of US 2002/0107342 (Mawson).

The arguments enumerated above apply to the instant rejection. As discussed above, the combination of Kocovsky/Buchwald/Baardmann/McFarland and Peters does not disclose or suggest the claimed invention. Mawson does not cure the deficiencies noted above. The Examiner suggests that Mawson discloses mixing one catalyst with an activator and later adding a second catalyst with the expectation of obtaining a bimodal polymer. Applicant respectfully disagrees and notes that even if what the Examiner suggests is true, there is no credible scientific reason on the record as to why one of ordinary skill in the art would have combined these references. As discussed above, one of ordinary skill in the art would not think to combine a *small molecule* catalyst with miscellaneous *parts* of several *polymerization* catalyst systems. Kocovsky's catalysts (alone and as modified by Buchwald) make small molecules, e.g. amination, arylation. Kocovsky's compound is not shown to make a completely different material, like Applicant's polymers and nothing within Mawson alone or combined with Kocovsky/Buchwald/ Baardmann/McFarland/Peters, teaches Applicant's specific catalyst systems comprising activators. One of ordinary skill in the art does not look to a coupling catalyst or amination catalyst to make a polymer or oligomer. As evidence to support this conclusion please see Dr. Canich's declaration attached hereto.

In light of the above, Applicant respectfully requests the rejection be withdrawn.

Dr. Canich's Declaration

With regard to Dr. Canich's declaration, which, as the Appeals board will recognize, is sworn testimony, Applicant submits that the Examiner has neither given the sworn evidence due weight nor appropriately rebutted on the record. If the Examiner wishes to contest the validity of statements made in the Declaration, it is proper that he do more than offer mere Examiner argument or conclusory statements to do so – he must take Official Notice, cite published prior art contradicting this sworn testimony, or offer contradictory sworn testimony based on clear scientific reasoning (e.g., in the form of a declaration or affidavit), if he wishes to cast sufficient doubt over its validity to put the burden of proof

back on Applicant. *See In re Zurko*, 258 F.3d 1379, 1385, 59 USPQ2d 1693, 1697 (Fed. Cir. 2001) (“[T]he Board [or an examiner] cannot simply reach conclusions based on its own understanding or experience or on its assessment of what would be basic knowledge or common sense. [T]he Board [or an examiner] must point to some concrete evidence in the record in support of these findings [to satisfy the substantial evidence test]. If the examiner is relying on *personal knowledge to support the finding of what is known in the art, the examiner must provide an affidavit or declaration* setting forth specific factual statements and explanation to support the finding. The Board [or an examiner] cannot rely on conclusory statements when dealing with particular combinations of prior art and specific claims, but must set forth the rationale on which it relies.”) (Emphasis added); *see also* M.P.E.P. § 2144.03. Thus, the Examiner cannot ignore the Canich Declaration simply because he disagrees with it. The Declaration, particularly this declaration which is supported by scientific reasoning *in the declaration*, must be considered as evidence by the Examiner and not summarily dismissed. Applicant respectfully submits that Dr. Canich's conclusions, supported by clear and unchallenged reasoning, take precedence over the Examiner's conclusory statements.

Specifically the Examiner has several conclusory statements in the Office action dated May 13, 2009, but none of them are backed up as required by taking Official Notice, citing published prior art contradicting this sworn testimony, or offering contradictory *sworn* testimony based on clear scientific reasoning (*e.g.*, in the form of a declaration or affidavit). Thus Applicant submits that the Sworn evidence in the declaration takes precedence over the Examiner's conclusory statements.

Limitation in the Preamble

Further, Applicant also respectfully submits that the Examiner has also not given due weight to the limitation Applicant has amended into the preamble of the claims. Specifically Applicant respectfully submits that the Examiner has long ignored the amendment to Applicant's preamble regarding the catalyst system claims, in which what had previously been merely recited a catalyst system was amended to recite “[a]n olefin polymerization or oligomerization catalyst system” It has been previously asserted by Applicant that the requirement of the catalyst being an olefin polymerization or oligomerization catalyst, though

admittedly in the claim preamble, is a distinction from the cited prior art that should be given patentable weight. There is no evidence that the Examiner has done so.

Indeed, the inclusion of “olefin polymerization or oligomerization” in the preamble of the claim indicates that the olefin polymerization/oligomerization characteristic of the catalyst is a required feature of Applicant’s claimed invention. Olefin polymerization or oligomerization names the catalyst system, and, as such, provides context for the system and breathes life into the claim. Applicant is therefore affirmatively relying herein on this characteristic for establishing patentability over the cited prior art, which necessarily transforms any preamble statement into a claim term that should be given its due patentable weight. *See* M.P.E.P. § 2111.02, *citing Metabolite Labs., Inc. v. Corp. of Am. Holdings*, 370 F.3d 1354, 1358-62 (Fed. Cir. 2004), and *quoting Catalina Mktg. Int’l. v. Coolsavings.com, Inc.*, 289 F.3d at 808-09 (“[C]lear reliance on the preamble during prosecution to distinguish the claimed invention from the prior art transforms the preamble into a claim limitation....”).

Thus, when given its due weight, the limitation distinguishes the claimed invention over the references Kocovsky/Buchwald/Baardmann/McFarland and Peters or Mawson. This combination does not suggest using Applicants catalyst system in olefin polymerization or oligomerization and the limitation makes this requirement clear.

Argument in Response to Rejection 4.

Claims 43-56, 64 and 65 have been rejected under the judicially created doctrine of obvious type double patenting (ODP) over claims 2-6 and 9-17 of USSN 10/693,584, filed October 24, 2003. Applicant respectfully disagrees.

Applicant notes that a similar rejection is made in USSN 10/693,584, over the instant application. Applicant further notes that, with regard to obviousness type double patenting rejections, if the applications have the same effective filing date (which 10/693,584 and the instant application do) according to MPEP § 804 I.B.1, “*the examiner should determine which application claims the base invention and which application claims the improvement (added limitations). The ODP rejection in the base application can be withdrawn without a terminal disclaimer.*” Applicant respectfully requested that the Examiner make the determination of which application is the "base" application and which application is the "improvement" application. The Examiner refused to do so.

Likewise, Applicant notes that the claims in 10/693,584 are to a catalyst compound not to a catalyst system (e.g. the compound and the activator), while the claims in the instant application are to the catalyst system. The Examiner forced Applicant to withdraw similar claims in USSN 10/693,584 drawn to a catalyst system (Invention II) in the office action dated November 5, 2005. It is inconsistent for the Examiner to say that the *catalyst system* claims in one related application are patentably distinct from compound claims and must be withdrawn for purposes of restriction, yet the *catalyst system* claims in another application are not patentably distinct from compound claims for purposes of double patenting. Applicant respectfully requests that the rejection be withdrawn.

Prayer

Applicant respectfully requests that the rejections under the doctrine of obviousness-type double patenting, 35 USC § 102 and 35 USC § 103 be withdrawn.

Respectfully submitted,

December 23, 2009

Date

/Catherine L. Bell/

Catherine L. Bell

Registration No. 35,444


ExxonMobil Chemical Company
Law Technology
P.O. Box 2149
Baytown, Texas 77522-2149
(281) 834-5982 Voice
(281) 834-2495 Facsimile

VIII. APPENDIX: Listing of Claims

Listing of Claims: AS AMENDED on January 29, 2009

1. to 40. (Cancelled)

41. (Withdrawn) The catalyst system of claim 43, wherein the catalyst precursor has the formula:




Formula XXIII

42. (Cancelled)


43. (New) An olefin polymerization or oligomerization catalyst system comprising the reaction product of:

- (a) an activator selected from the group consisting of alumoxane, aluminum alkyl, alkyl aluminum halide, alkylaluminum alkoxide, discrete ionic activator, and Lewis acid; and
- (b) a catalyst precursor having the following formula:













wherein:


- (i) M is Ni, Fe, Co, Pd, or Pt;
- (ii) N is nitrogen and is bonded to M;
- (iii) P is phosphorus and is bonded to M;
- (iv) R^1 and R^2 are independently selected from the group consisting of methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl, dodecyl, cyclobutyl, cyclohexyl, phenyl, benzyl, phenethyl, tolyl, cyclopentyl, cycloheptyl, cyclooctyl, cyclononyl, cyclodecyl, and cyclododecyl;
- (v) R^3 and R^4 are independently selected from the group consisting of methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl, dodecyl, cyclobutyl, cyclohexyl, phenyl, benzyl, phenethyl, tolyl, cyclopentyl, cycloheptyl, cyclooctyl, cyclononyl, cyclodecyl, cyclododecyl and substituents represented by the formulas:



where R' are independently, hydrogen or C_1 - C_{50} hydrocarbyl radicals, and any two adjacent R' may independently be joined to form a saturated or unsaturated cyclic structure;

- (vi) Y is butenyl or has one of the following formulas:





where:

- (a) R' are independently hydrogen or C_1 - C_{50} hydrocarbyl radicals;
 - (b) A is a non-hydrocarbon atom functional group;
 - (c) E is a Group-14 element;
 - (d) x is an integer from 1 to 4; and
 - (e) y is an integer from 0 to 4; and
- (vii) X are independently selected from the group consisting of chloride, bromide, iodide, methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl, dodecyl, methoxide, ethoxide, dimethylamide, diethylethoxide, and

phenoxide,

wherein the olefin polymerization or oligomerization catalyst system exhibits an activity that exceeds 8000 moles of ethylene per mole of M per hour.

44. (Previously Presented) The catalyst system of claim 43, wherein R^3 and R^4 are selected from the group consisting of cyclohexyl, phenyl, benzyl, phenethyl, and tolyl.
45. (Previously Presented) The catalyst system of claim 43, wherein R^1 , R^2 , R^3 , and R^4 are independently selected from the group consisting of methyl, ethyl, propyl, butyl, cyclohexyl, phenyl, tolyl, benzyl, and phenethyl.
46. (Previously Presented) The catalyst system of claim 43, wherein A is selected from the group consisting of C=O, C=S, O, S, SO₂, NR*, PR*, BR*, SiR*₂, and GeR*₂, where R* is independently a hydrocarbyl or halocarbyl radical.
47. (Previously Presented) The catalyst system of claim 43, wherein Y is biphenyl.
48. (Previously Presented) The catalyst system of claim 43, wherein X are independently chloride, bromide, iodide, methoxide, ethoxide, dimethylamide, diethylethoxide, or phenoxide.
49. (Previously Presented) The catalyst system of claim 43, wherein the activator comprises B(C₆F₅)₃ or B(C₆H₅)₃.
50. (Previously Presented) The catalyst system of claim 43, wherein the activator comprises a cyclic oligomeric aluminum compound represented by the formula (R''-Al-O)_n, or a linear oligomeric aluminum compound represented by the formula R''(R''-Al-O)_nAlR''₂, wherein R'' is independently a C₁-C₂₀ alkyl radical, and wherein n is an integer from 1-50.
51. (Previously Presented) The catalyst system of claim 43, wherein the activator is methylalumoxane.

52. (Previously Presented) The catalyst system of claim 43, wherein the activator is triethylaluminum, diethylaluminum chloride, triisobutylaluminum, tri-n-octylaluminum, or a combination thereof.
53. (Previously Presented) The catalyst system of claim 43, wherein the activator is [Me₂PhNH][B(C₆F₅)₄], [Bu₃NH][BF₄], [NH₄][PF₆], [NH₄][SbF₆], [NH₄][AsF₆], [NH₄][B(C₆H₅)₄], B(C₆F₅)₃, B(C₆H₅)₃, or a combination thereof.
54. (Previously Presented) The catalyst system of claim 43, wherein the catalyst is deposited on a solid support, the solid support comprising polymeric materials or refractory oxide materials.
55. (Previously Presented) A catalyst system comprising the reaction product of:
- (a) the catalyst system of claim 43 and
 - (b) olefin monomer(s) comprising ethylene, propylene, 1-butene, or a mixture of any two or all three of ethylene, propylene, and 1-butene.
56. (Previously Presented) The catalyst system of claim 43, further comprising at least one additional olefin polymerization catalyst.
57. (Previously Presented) An oligomerization or polymerization method comprising contacting at least one catalyst system of claim 43 with alpha-olefin comprising ethylene, wherein the catalyst's activity exceeds 8000 moles of ethylene per mole of M per hour.
58. (Previously Presented) The method of claim 57, further comprising recovering a product comprising greater than 50 mol% of linear C₄-C₁₄ alpha-olefins based on the total weight of polymerized product.
59. (Previously Presented) The method of claim 57, wherein the product comprises greater than 80 mol% of linear C₄-C₁₄ alpha-olefins.
60. (Previously Presented) The method of claim 57, wherein the product comprises

greater than 50 mol% of linear C₄ and C₆ alpha-olefins.

61. (Previously Presented) The method of claim 57, wherein the product comprises greater than 80 mol% of linear C₄ and C₆ alpha-olefins.
62. (Previously Presented) The method of claim 57, comprising reacting
 - (a) the catalyst system and
 - (b) olefin monomer(s) comprising ethylene, propylene, 1-butene, or a mixture of any two or all three of ethylene, propylene, and 1-butene.
63. (Previously Presented) The method of claim 57, wherein the oligomerization or polymerization is run in the presence of an aprotic organic liquid.
64. (Previously Presented) The catalyst system of claim 43, further comprising an aprotic organic liquid.
65. (Previously Presented) The catalyst system of claim 55, wherein the olefin monomer(s) consists essentially of ethylene, propylene, 1-butene, and mixtures thereof.
66. (Previously Presented) The method of claim 62, wherein the catalyst system is reacted with olefin monomer(s) consisting essentially of ethylene, propylene, 1-butene, and mixtures thereof.

IX. APPENDIX: EVIDENCE

1. Canich Declaration dated July 7, 2008.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of :	§	Before the Examiner
Zhao et al.	§	James E. McDonough
Serial No. 10/692,827	§	Group Art Unit No. 1755
Filed: October 24, 2003	§	Attorney Docket Number: 2002B130A/2
For: Late Transition Metal	§	Confirmation Number 9211
Catalysts for Olefin	§	
Oligomerizations	§	
Customer No.: 23455	§	Date: July 7, 2008

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

Declaration Under 37 C. F. R. § 1.132

Dear Sir:

This affidavit is submitted to offer a showing that:

- 1) Claims 1-20, 27-31 and 36-39 are both novel and non-obvious over Sumi (US 6,323,353) in view of Baardman (US 5,658,982) in further view of Qian (*Synthesis and Polymerization Behavior of Various Substituted Half-Sandwich Titanium Complexes Cp'TiCl₂(OR*) as Catalysts for Syndiotactic Polystyrene*, J. Mol. Cat. 208, 2004, 45-54.);
- 2) Claims 1-20, 27-31 and 36-39 are both novel and non-obvious over Buchwald (US 6,307,087) in view Baardman in further view of Qian;
- 3) Claims 1-20, 27-31 and 36-39 are both novel and non-obvious over Zhang in view of Baardman in further view of Qian;
- 4) Claim 40 is both novel and non-obvious over any of Sumi, Buchwald, or Zhang in view of Baardman in further view of Piekarski (US 3,991,259).

This affidavit is submitted concurrently with a response after final rejection to the final office action dated March 4, 2008, provided as the submission required under 37 CFR § 1.114 for a Request for Continued Examination.


I, Jo Ann Marie Canich, Ph.D. declare that:


1. I am a citizen of the United States residing in Houston, Texas.
2. I am a co-inventor of the above-referenced patent application referred to herein as the '827 Patent Application.
3. I have been continuously employed by ExxonMobil Chemical Company, (and its predecessor Exxon Chemical Company) since 1987 as a research scientist working in the area of olefin catalysis. I have over twenty years of direct experience in the olefin catalysis art and, among other things, have recently published a book (co-editor) in the area of olefin catalysis (*Stereoselective Polymerization with Single-Site Catalysts*, Eds. Baugh & Canich, CRC Press, Boca Raton, FL, 2008). I have won multiple awards both inside my company and from industry for my work in the olefin catalysis field. Additional information regarding my technical and professional background is attached as a *Curriculum Vitae*.
4. I have read the office action dated March 04, 2008 and have read each of the references cited therein, e.g. Sumi, Buchwald, Zhang, Qian, Beardman and Pickarski.
5. In my opinion one of ordinary skill in the olefin catalysis art reading Buchwald, Sumi and Zhang would find that Sumi, Buchwald and Zhang are directed to catalysts useful to make small molecules via metal mediated coupling reactions, but not polymerization or oligomerization catalyst compounds.

It is further my opinion that Buchwald does not disclose the pre-catalyst compounds or polymerization catalysts used in my patent application, and only discloses the use of the ligand in combination with a metal and a base such as an alkoxide, amide, phosphate, or carbonate. While the Examiner suggests that the reaction of the ligand with a metal will produce the pre-catalysts of my invention, this is not indicated in or supported by Buchwald. In fact, if one refers to *Journal of the American Chemical Society* 2000, 122, 1360 (Fox et al.), Fox et al. shows the proposed reaction scheme (Scheme 1, page 1366 - also shown below) for a small

molecule coupling reaction where the ligand, L, is shown in the chart on page 1362. The ligand labeled **3** can perform as an ancillary ligand where Y is biphenyl (referring to the formula in Claim 2 of the '827 application). On page 1366, Fox et al. states that in comparison to previous studies, that they believe the Pd:phosphine ratio when using ligands **4-7** for the reaction intermediates (**A** and **B**) is 1:1 (i.e. only one electron donating atom, in this case phosphorous, is needed). Note that ligands **4-7** are mono-dentate phosphorus ligands. Additionally, similar evidence suggests that the binding of the dimethylamino group of ligand **3** to Pd is not essential for the catalytic process and, in fact, may not occur at all. This is indicated by the similarities in the catalysis involved when using **3**, **6** and **7** in the Pd-catalyzed ketone arylations reported in the paper, in addition to Suzuki and amination reactions reported in references within. Note that ligands **6** and **7** do not contain the dimethylamino group as compared to ligand **3**. Hence, it would be speculative at best to assume that the reaction between ligand **3** and a metal would form the polymerization pre-catalyst of my invention, when the chemistry in small molecule coupling reactions suggests otherwise.


Scheme 1





Fox et al. also states that it is possible that the interaction between the metal and the ligand in the Pd(II) intermediates complexes (**A** and **B**) is similar to those reported for the MOP and MAP ligands reported in *Journal of the American Chemical Society* 1999, 121, 7714 (Kocovsky et al.). Kocovsky et al. uses the binaphthyl ligand also reported in Sumi (but not an ancillary ligand in my application). Scheme 1 of Kocovsky et al. is shown below (p 7714). Kocovsky et al. indicates an equilibrium between species **3** (10%), **4** (5%) and **5** (85%) in solution, however, they were only able to isolate compound **5**, suggesting the preferred state of the molecule is complex **5**. This is based not only on the ability to isolate complex **5** in crystalline form which was structurally characterized by X-ray crystallography, but also on the solution equilibrium mixture being 85% complex **5**. Note that complex **5**, and also complex **4**, does not have a metal-nitrogen bond as required of my ancillary ligand in the claims. Again, it would be speculative to assume the reaction between the ligand of Buchwald would react to make the complexes of our application verses assuming other chemistry as suggested by Kocovsky.

Scheme 1



One should also note that the catalysis scheme for making small molecules via metal mediated catalysis as shown in Fox et al.'s Scheme 1 involves (1) starting with a Pd(0) complex and oxidizing it to Pd(II) by ArX to form intermediate A; (2) forming an interaction between intermediate A and an electron donor (a ketone in this case) in the presence of a base to form intermediate C; (3) abstraction of an acidic proton by the base to form intermediate B; and finally (4) reduction of intermediate C (Pd(II)) down to Pd(0) and formation of an arylated ketone. This is a catalytic cycle that involves multiple Pd species, and requires the ability to oxidize the metal to a higher oxidation state in order for the chemistry to occur, and then reduce the Pd back to Pd(0) to regenerate the catalyst and to "release" the new compound. The coupling mechanism for Buchwald is analogous to that represented by Fox et al. This is why Buchwald states in Column 32, line 7-8 that "the metal center is desirably in the zero-valent state or is capable of being reduced to metal (0)". The nickel and palladium species in my application are Ni(II) and Pd(II) and the catalytic cycle for olefin polymerization/oligomerization does not involve changing the oxidation state of the catalyst precursor, or of the catalyst species during the polymerization / oligomerization reaction.

For similar reasons, Sumi and Zhang do not disclose the pre-catalyst compounds or polymerization catalysts used in my patent application. Like Buchwald, both are directed toward small molecule synthesis using metal mediated catalysis.


6. It is my further opinion that one of ordinary skill in the art would not combine a *polymerization catalyst activator* with the various compounds of Sumi, Buchwald and Zhang, because they do not need a *polymerization catalyst activator* to achieve their purpose of making small molecules using metal mediated coupling chemistry.

7. It is my further opinion that one of ordinary skill in the art reading Baardman would find Baardman is directed to certain Group 10 metal compounds used in combination with a borane activator to polymerize carbon monoxide and olefins in a variety of polymerization environments. Baardman shows that by increasing the amount of tris(perfluorophenyl)boron during the propylene/CO polymerization that the activity of the copolymerization can be enhanced. In this, Baardman teaches that you can "reactivate" your catalyst with additional amounts of tris(perfluorophenyl)boron. It is well known in the literature that oxidants are commonly added to this type of catalyst system to re-oxidize the Pd from the inactive Pd(0) complex to the active Pd(II) complex. It is also known that the presence of the oxidant can be avoided by using fluorinated alcohols as the polymerization solvent, hence, one of ordinary skill in the art would expect that a perfluorinated borate would act in a similar manner. See *Organometallics* 2000, 19, 3435.

While Baardman also teaches that a variety of diluents can be used, Baardman indicates that the liquid diluent to be used is one in which the copolymer to be prepared forms a suspension (i.e. is insoluble or virtually insoluble). Particularly preferred are mixtures of aprotic diluents and protic diluents because these provide a further improvement in maintaining the polymerization rate at the initial level. Protic diluents include lower alcohols such as methanol and ethanol while aprotic diluents can include ketones, chlorinated hydrocarbons and aromatics. (see col. 5, line 55 to col. 6 line 3).

8. It is my further opinion that one of ordinary skill in the art would not combine Baardman and Sumi, Buchwald or Zhang because polymerization catalyst activators are not needed to make the small molecules in Sumi, Buchwald and Zhang. In addition, some of Baardman's environments, such as the use of protic diluents would negatively affect the catalysts in Sumi, Buchwald and Zhang assuming such catalysts were being used for olefin oligomerization or polymerization (there are no teachings for such chemistry, as Sumi, Buchwald and Zhang are all directed toward

small molecule synthesis involving metal mediated coupling chemistry). For olefin polymerization or oligomerization, a protic diluent would be expected to act as a chain termination agent forming a saturated oligomer or a polymer with a saturated end-group. The catalyst would be deactivated in the process. An activator such as tris(perfluorophenyl)boron would not be capable of reactivating the catalyst for olefin oligomerization or polymerization. This reaction is illustrated below:



This is not an issue with the catalyst system of Baardman, as CO (but not ethylene or propylene or any alpha-olefin) would be capable of inserting in the Pd-OR bond. Thus, in my opinion, the teaching from Baardman, assuming one would think of using Buchwald, Zhang or Sumi for polymerization catalysts, would in fact lead to an inactive system for the polymerization or oligomerization of olefins. For a fundamental understanding of olefin/CO copolymerizations, see Nozaki, K, *Tacticity in Ethylene/Carbon Monoxide/Vinyl Co- and Terpolymerizations*. In *Stereoselective Polymerization with Single-Site Catalysts*; Baugh, L.S., Canich, J.M., Eds.; CRC Press: Boca Raton, FL, 2008; pp 577-591.

9. Further, it is my opinion that if one of ordinary skill in the art were to combine Baardman's activators with Sumi, Buchwald and Zhang's catalysts, one would expect the large excess of borate to be deleterious as it would inhibit the catalytic cycle described above in paragraph 5 (Fox et al. Scheme 1). Thus one skilled in the art would not add an acidic borate to a reaction scheme that is facilitated by a base. Even if enough of a strong base were added to neutralize the acidic borate, at most, small molecules would be produced because it is generally the catalyst that controls the product made and one would expect products similar to those produced in Sumi, Buchwald and Zhang.

10. It is my further opinion that halogen ligands and hydrocarbyl ligands are not equivalent in all catalyst systems at all times. First halogen ligands are considered electron withdrawing, whereas hydrocarbyl ligands are typically

considered electron donating. Second, in many systems, a borate activator in combination with a halogenated catalyst precursor (e.g. Cp_2ZrCl_2) produces an inactive system while an alkylated precursor (e.g. Cp_2ZrMe_2) will likely, but not always, produce an active system. Thus, halogens and hydrocarbyls are not equivalent, particularly in borate activator containing systems.

Additionally, Qian is directed to polymerizing styrene, not to oligomerizing or polymerizing alpha-olefins as in my application. As such, a trend seen in Qian can not necessarily be equated with a different type of polymerization process. Qian is focused on changing the Cp' or R^* of $\text{Cp}'\text{TiCl}_2(\text{OR}^*)$. Qian states, "In order to study how the changes of pi-donor ligand and sigma-donor ligand affect the catalytic activity and the properties of s-PS, this work aims to design and prepare a series of $\text{Cp}'\text{TiCl}_2(\text{OR}^*)$ complexes with different substituents in Cp and OR^* , and then to apply them to the production of s-PS." Since $\text{Cp}'\text{TiCl}_2/\text{MAO}$ is known to be a styrene polymerization catalyst, perhaps the Examiner is comparing the OR^* of Qian to Cl, but OR^* is not a hydrocarbyl, nor is it an abstractable ligand/leaving group in this catalyst system. The conclusion in Qian states, "through the polymerization testing we can conclude that the environment of cyclopentadiene plays a major role in the series of $\text{Cp}'\text{TiCl}_2(\text{OR}^*)/\text{MAO}$ catalytic systems, and that the influence of OR^* is relatively weak." Qian's conclusion does not mean that R^* has little effect, it means that in comparison to changing the substituents on the Cp ring, it has little effect for the polymerization of styrene.

Furthermore, it is commonly known in polymerization catalysis that changing the leaving group can affect catalyst activity, polymer molecular weight, and when applicable, polymer tacticity. For example, Kaminsky et al. reported that the styrene polymerization activity of fluorinated complexes $\text{Cp}'\text{TiF}_3/\text{MAO}$ ($\text{Cp}' = \text{Cp}, \text{Cp}^*, \text{MeCp}, \text{EtMe}_2\text{Cp}$, etc.) was about 30-40 times higher than with analogous $\text{Cp}'\text{TiCl}_3/\text{MAO}$ systems. The polymer molecular weight, melting point and syndiotacticity were also significantly higher. This higher activity and syndioselectivity of the fluoride catalysts as compared to the chloride analogs is attributed to a greater number of more stable Ti(III) active sites where the fluoride would be expected to better stabilize the Ti(III) oxidation state. See *Macromolecules* 1997, 30, 7647-7650. Similarly, in ethylene polymerization, McCullough et al. in US 6,632,901 report higher activity with $\text{Cp}'_2\text{ZrF}_2$ is used as compared to $\text{Cp}'_2\text{ZrCl}_2$

(Cp'=1,3-Me,BuCp, Me₃Cp, n-PrCp, etc.) Similarly, Pedoutour et al. (*Journal of Molecular Catalysis A: Chemical* 2001, 176, 87-94) studied the effect of the leaving group for rac-Et(Ind)₂ZrX₂ where X, the leaving group, was Cl, Me, NMe₂ or CH₂Ph. In this study, it was found that when X was hydrocarbyl (Me or CH₂Ph) that catalyst activity was not dependent on the MAO to pre-catalyst molar ratio (Al:Zr) over the range of about 150-2000. This was not the case for the Cl leaving group where the activity differed significantly from low Al:Zr of 150 (activity = 0) to a higher Al:Zr of 2000 (activity = 1290 kg/mol-hr). This study clearly shows that for a polymerization catalyst leaving group, hydrocarbyl is not equivalent to halide. Probably more relevant is US 7,247,687 (Cherkasov et al.) which deals with late transition metal polymerization catalysts. Cherkasov et al. demonstrate that the [1,4-bis-substituted)-1,4-diaza-1,3-butadiene]nickel(II) catecholate complexes are very different catalysts as compared to the dibromide analogs. Note that the two differ in the X leaving groups - two bromides vs. a chelating catecholate ligand. The dibromide complexes are known paramagnetic and typically hydrocarbon insoluble complexes while, the catecholate analogs are diamagnetic and hydrocarbon soluble (see column 2 for a discussion on paramagnetic complexes in the Background section and diamagnetic complexes in the Summary section). Comparison of the polymerization of a catecholate based catalyst vs. corresponding dibromide based catalyst (compare entries 8-11 with C6-C7 in Table 1, column 308) shows the catecholate to give higher activity as compared to the dibromide. While this study did not compare hydrocarbyl to halide, it does show that the nature of the leaving group affects catalyst activity in late transition metal catalyzed olefin polymerizations.

Since many examples exist to show that the leaving groups in olefin polymerization catalysis can have a major affect on catalyst activity, one skilled in the art would not assume that a hydrocarbyl leaving group is the same as a halogen leaving group in a Pd based catalyst system.

11. In light of this lack of equivalence and the other statements above, it is my opinion that one of ordinary skill in the art would not combine Sumi, Baardman and Qian because firstly Qian is not directed at comparing hydrocarbyl verses halogen leaving groups, but is a study of ligand substitution on mono-cyclopentadienyl titanium catalysts for styrene polymerizations; secondly, Sumi is not directed to olefin polymerization catalysis, but rather to small molecule synthesis using late transition

metal mediated coupling chemistry; and thirdly, Baardman is directed to the use of added borate activator in late metal catalyzed olefin/CO polymerizations.

12. It is my further opinion that one of ordinary skill in the art would not combine Zhang, Baardman and Qian because of the same reasons stated in paragraph 11 since Zhang, like Sumi, is directed to small molecule synthesis using late transition metal mediated coupling chemistry.

13. It is my further opinion that one of ordinary skill in the art would not combine Buchwald and Qian because of the same reasons stated in paragraph 11 since Buchwald, like Sumi, is directed to small molecule synthesis using late transition metal mediated coupling chemistry.

14. It is my further opinion that one of ordinary skill in the art reading Piekarski, would find Piekarski is directed to early transition metal polymerization catalysts. Piekarski uses group 4-6 metals activated by a dialkylaluminum hydride-hydrogenpolysiloxane reaction product to make polyethylene. More specifically, the group 4-6 metals are $TiX_{4-n}(OR'')_n$ or $VX_{4-n}(OR'')_n$ or $VOX_{3-n}(OR'')_n$. The reaction of the dialkylaluminum hydride with the hydrogenpolysiloxane is not the support, and in fact, the patent states that the reaction product is a slightly viscous material (col. 5, lines 20-23). Supports are merely an addition to what is described in the patent. Piekarski teaches very little regarding supports, but his brief statement regarding increased catalyst activity when supported refers to the ability to lower the amount of catalyst needed so that it does not need to be removed from the polymer (col. 7, lines 18-39). This is a moot teaching for an oligomerization catalyst, because in any case, the support would need to be filtered from the liquid olefin. Additionally Piekarski gives no indication or hint that using a late transition metal catalyst with an activator on a support would produce oligomers.

15. It is my further opinion that it is not automatic that catalyst activity is increased by putting a catalyst compound on a support. There are many systems where putting the catalyst on a support actually reduces "activity". For example, if the support contains functional groups that interact with the catalyst, portions of the catalyst can actually be deactivated causing a reduction in polymerization activity. Additionally, for catalysts that have dative bonded ancillary ligands, if the support is not chosen wisely, the ancillary ligand may be displaced by stronger donor groups on


the support. These are just two of many examples where catalyst activity could be reduced by use of a support.

16. At the time the '827 application was filed, very few catalyst systems were known that combined good catalyst activity with the production of linear olefins, with a particular preference for lower alpha-olefins. Additionally, the hydrocarbon solubility of my catalyst precursor allowed for readily supporting the catalyst which can have advantages in certain processes, for example, a fixed bed process. And it is possible (but yet unproven) that the reason behind the unusual catalysis of my catalyst system, is that most four-coordinate Ni(II) complexes prefer the planar geometry since the planar ligand set allows for the d-electrons to avoid occupying antibonding orbitals. My Ni(II) four-coordinate complexes were determined to be tetrahedral in geometry meaning that d-electrons occupying the antibonding orbitals is unavoidable, hence the fact that these complexes are also paramagnetic.

17. In light of the above, it is my opinion as one of ordinary skill in the art that the foregoing clearly indicates that the catalyst described and claimed in my '827 Patent Application represents a technological break-through as perceived by those skilled in the field of transition metal catalysis.

18. *I declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the patent.*

Date: July 7, 2008


Jo Ann Marie Canich, Ph.D.

CURRICULUM VITAE

JO ANN MARIE CANICH

Office Address: ExxonMobil Chemical Company
Baytown Technology and Engineering Complex - West
5200 Bayway Drive
Baytown, TX 77520

Industrial Positions:

- ExxonMobil Chemical Company -- Core Technology
 - Product Technology, Organometallic Catalysis Group (11/07-present)
 - Team Leader - Block Copolymers Team 1/08-present
 - Catalysis Process R&D, Organometallic Catalysis Group (1/07-11/07)
- Univation Technology: Catalyst R&D (1/04-1/07)
- Exxon or ExxonMobil Chemical Company -- Core Technology
 - Catalysis Process R&D, Organometallic Catalysis Group (6/02-12/03)
 - Intellectual Property Coordination (12/02-12/03)
 - Polymer Science Division, Catalysis & Process Science Group (5/99-5/02)
 - Polymer Science Division, Solid State and Molecular Modeling Group (1/96-4/99)
 - Team Leader - Exploratory Catalyst Team 1/96-12/97
 - Team Leader - Solution Metallocene Elastomers Team (1/98-12/98)
 - Exxpol Catalysis Group (2/93-1/96)
 - Polymer Science Division, Catalysis Group (9/87-2/93)

Awards:

- ExxonMobil Chemical Company - CPR&D Research Award 2003
- American Society of Patent Holders Distinguished Corporate Inventors 1998
- Exxon Chemical Polymers Technology Award 1997
- Exxon Chemical, Baytown Polymers Center, Extra Mile Award 1995
- Exxon Chemical, Polymer Science, Where the Tire Meets the Road Award 1990
- Iota Sigma Pi National Anna Louise Hoffman Award 1987

Education:

8/84 - 5/87 Texas A&M University
College Station, Texas
Ph.D. Inorganic Chemistry (8/87)

- 1A -

Advisor: F. A. Cotton
Thesis: Oxidative Addition Chemistry of Group V and VI Metal Dimers

9/77 - 7/84 Portland State University
Portland, Oregon
M. S. Chemistry (6/84)
B. S. Chemistry (6/81)
Advisor: G. L. Gard
Thesis: Derivatives of Trifluorosulfur Pentafluoride and F-(*tert*-butyl)
Hypochlorite

Publications:

Stereoselective Polymerization with Single-Site Catalysts; Baugh, L.S., Canich, J.M., Eds.; CRC Press: Boca Raton, FL, 2008.

Zirconium complexes of cyclopenta[b]pyridine: synthesis, structure, and olefin polymerization catalysis. A. N. Ryabov, V. V. Izmer, A. A. Borisenko, J. M. Canich, L. G. Kuzmina, J. A. K. Howard, A. Z. Voskoboynikov, Journal of the Chemical Society, Dalton Transactions 2002, (15), 2995.

In situ X-ray absorption spectroscopy of olefin polymerization catalysts. P. Brant, J. M. Canich, P. T. Matsunaga, K. M. Squire, P. A. Stevens, B. DeVries, M. Sansone, E. I. Solomon, Abstr. Pap. - Am. Chem. Soc. 2001, 221st, INOR-052.

Metallocene-Catalyzed Copolymerization of Ethylene and Isobutylene to Substantially Alternating Copolymers. T. D. Shaffer, J. M. Canich and K. R. Squire, Macromolecules 1998, 31, 5145.

Preparation and Structure of $[\text{Cl}_2\text{W}(\mu\text{-Cl})(\mu\text{-dmpm})_2(\mu\text{-PMe}_2)\text{WCl}(\eta^2\text{-CH}_2\text{PMe}_2)\text{Cl}]$, a Product of an Unusual Cleavage of the dmpm Ligand. F. A. Cotton, J. M. Canich, R. L. Luck and K. Vidyasagar, Organometallics 1991, 10, 352.

"The Formation of the High Oxidation State Group-IB, -IIB, and Transition- and Inner-Transition-Metal Fluorides." *Inorganic Reactions and Methods*, J. M. Canich and G. L. Gard; A. Hagen Ed., VCH Publisher, 1991, V4, 2.11, 269-301.

Ethynylpentafluoro- λ 6-sulfane (SF_5SiCH). R. J. Terjeson, J. M. Canich and G. L. Gard, Inorg. Synth. 1990, 27, 329.

The Reactivity of $\text{M}_2(\mu\text{-Cl})_2(\mu\text{-SMe}_2)\text{Cl}_4(\text{SMe}_2)_2$: Formation of $\text{Ta}_2(\mu\text{-SEt})_2(\mu\text{-Cl})\text{Cl}_4(\text{SMe}_2)_2$ and $\text{NbCl}_3(\text{S}_2\text{CNEt}_2)_2$. J. M. Canich, F. A. Cotton, Inorg. Chim. Acta 1989, 159, 163.

A Trinuclear Oxoniobium(V) Complex with Ketone Molecules as Ligands, $[\text{NbOCl}_3(\text{OCRR}')_3]$ with $\text{R} = \text{C}_6\text{H}_5$ and $\text{R}' = m\text{-CH}_3\text{C}_6\text{H}_4$. J. M. Canich, F. A. Cotton and S. A. Duraj, Inorg. Chim. Acta 1989, 156, 41.

Reaction Chemistry of Compounds Containing Group 5 and 6 Multiple Metal-Metal Bonds: Formation of Edge-Sharing Bioctahedra. J. M. Canich, Diss. Abstr. Int. B 1988, 48, Pt. 1, 3562.

Binuclear Cationic η -bromo Complexes of Vanadium(II). J. M. Canich, F. A. Cotton, W. J. Roth and S. A. Duraj, Polyhedron 1988, 7, 737.

Reactions of tris(methyl sulfide)hexachlorodiniobium and -ditantalum with Compounds Containing Nitrogen-Nitrogen Single Bonds. J. M. Canich, F. A. Cotton, L. R. Falvello and S. A. Duraj, Inorg. Chim. Acta 1988, 143, 185.

Synthesis, Characterization, and Molecular Structure of the Quadruply Bonded Ditungsten(II) Complex, $W_2Cl_4(dppm)_2$. J. M. Canich and F. A. Cotton, Inorg. Chim. Acta 1988, 142, 69.

Oxidative-addition Reactions of Sulfur-Sulfur and Selenium-Selenium Bonds to Dimolybdenum and Ditungsten Quadruple Bonds. J. M. Canich, F. A. Cotton, K. R. Dunbar and L. R. Falvello, Inorg. Chem. 1988, 27, 804.

Phosphorus versus Nitrogen Donor Ligands in Edge-Sharing Bioctahedra of Niobium and Tantalum $M_2Cl_6(L-L)_2$ Complexes. J. M. Canich and F. A. Cotton, Inorg. Chem. 1987, 26, 4236.

Further Study of Metal-Metal Bond Lengths in Homologous Edge-Sharing Bioctahedral Complexes. J. M. Canich, F. A. Cotton, L. M. Daniels and D. B. Lewis, Inorg. Chem. 1987, 26, 4046.

Structural and Theoretical Considerations in Tantalum and Niobium $M_2Cl_6(SMe_2)_4$ and $M_2Cl_6(dio)_2$ Complexes. J. M. Canich and F. A. Cotton, Inorg. Chem. 1987, 26, 3473.

Preparation and Structures of the Binuclear Vanadium(II) complexes $[L_3V(\mu-Cl)_3VL_3]BPh_4$ with $L =$ Tetrahydrofuran and 3-Methyltetrahydrofuran. J. M. Canich, F. A. Cotton, S. A. Duraj and W. J. Roth. Polyhedron 1987, 6, 1433.

The Preparation of $Ta_2Cl_6(PhN)_2(Me_2S)_2$ by reaction of $Ta_2Cl_6(Me_2S)_3$ with $PhNNPh$ Crystal Structure of the Product. J. M. Canich, F. A. Cotton, S. A. Duraj and W. J. Roth. Polyhedron 1986, 5, 895.

Oxidative-Addition Reactions of *F*-tert-Butyl Hypochlorite with Perfluoromono- or Perfluorodilodoalkanes, Pentafluoriodobenzene, and Hexafluorobenzene. J. M. Canich, M. E. Lerchen, G. L. Gard and J. M. Shreeve, Inorg. Chem. 1986, 25, 3030.

Oxidative Addition of Diphenyl Disulfide across a Ta-Ta Bond. Preparation and Characterization of $[TaCl_3(Me_2S)]_2(\mu-SPh)_2$. G. C. Cambell, J. M. Canich, F. A. Cotton, S. A. Duraj and J. F. Haw, Inorg. Chem. 1986, 25, 287.

Synthesis and Spectroscopic Properties of Ethylsulfur Pentafluoride ($\text{SF}_5\text{C}_2\text{H}_5$). J. M. Canich, M. M. Ludvig, G. L. Gard and J. M. Shreeve, *Inorg. Chem.* 1985, 24, 3668.

A Pentafluorosulfur β -Sulfone and Some Derivatives. J. M. Canich, M. M. Ludvig, G. L. Gard and J. M. Shreeve, *Inorg. Chem.* 1984, 23, 4403.

Oxidative Displacement and Additive Reactions of F-tert-Butyl Hypochlorite with Metal Chlorides and Oxidative Additions to Several Elements. J. M. Canich, G. L. Gard and J. M. Shreeve, *Inorg. Chem.* 1984, 23, 441.

Derivatives of Trifluorovinylsulfurpentafluoride ($\text{SF}_5\text{CF}=\text{CF}_2$)III. R. Debuhr, J. Howbert, J. M. Canich, H. F. White and G. L. Gard, *J. Fluorine Chem.* 1982, 20, 515.

US Patents, EP Patents and WO Applications:

US RE40,234 B1 J. M. Canich, "Process for producing crystalline poly- α -olefins with a monocyclopentadienyl transition metal catalyst system," April 8, 2008

US 7,307,177 B2 Y. Qian, J. Huang, J. M. Canich, "Metallocene complexes, their synthesis and use in catalyst systems for olefin polymerization," December 11, 2007

EP 1110974 B1 D. J. Upton, G. G. Hlatky, J. M. Canich, H. W. Turner, "Method for preparing a supported activator component," November 28, 2007

US 7,294,681 B2 P. Jiang, A. H. Dekemzian, J. M. Canich, C. L. Sims, R. Abhari, C. A. Garcia-Franco, D. R. Johnsrud, "Multiple catalyst system for olefin polymerization and polymers produced therefrom," November 13, 2007

US 7,276,567 B2 A. Z. Voskoboynikov, A. Y. Lebedev, V. V. Izmer, A. N. Ryabov, M. V. Nikulin, J. M. Canich, "Heterocyclic substituted metallocene compounds for olefin polymerization," October 2, 2007

EP 1620447 B1 B. Zhao, E. Berluche, S. Kacker, J. M. Canich, "Soluble late transition metal catalysts for olefin oligomerizations III," August 8, 2007

EP 1603929 B1 B. Zhao, K. R. Squire, S. Kacker, J. M. Canich, "Soluble Group-10 alpha-diimine catalyst precursor," August 1, 2007

US 7,247,687 B2 V. K. Cherkasov, M. P. Bubnov, N. O. Druzhkov, V. N. Glushukova, I. A. Teplova, N. A. Skorodumova, G. A. Abakumov, C. A. Ballinger, K. R. Squire, J. M. Canich, E. Berluche, L. S. Baugh, D. N. Schulz, B. Zhao, "Late transition metal catalysts for olefin polymerization and oligomerization," July 24, 2007

WO 2007070038 A1 A. Z. Voskoboynikov, A. N. Ryabov, M. V. Nikulin, A. V. Lygin, V. V. Izmer, A. F. Asachenko, C. L. Coker, J. M. Canich, "Halogen substituted metallocene compounds for olefin polymerization," June 21, 2007

WO 2007070040 A1 A. Z. Voskoboynikov, A. N. Ryabov, D. V. Uborsky, A. V. Lygin, C. L. Coker, J. M. Canich, "Halogen substituted metallocene compounds for olefin polymerization," June 21, 2007

WO 2007070041 A1 C. L. Coker, J. M. Canich, A. Z. Voskoboynikov, A. N. Ryabov, M. V. Nikulin, A. V. Lygin, "Halogen substituted metallocene compounds for olefin polymerization," June 21, 2007

WO 2007070045 A1 A. Z. Voskoboynikov, A. N. Ryabov, M. V. Nikulin, A. V. Lygin, C. L. Coker, J. M. Canich, "Preparation of substituted bridged indenyl and related ligands," June 21, 2007

WO 2007070046 A1 A. Z. Voskoboynikov, A. N. Ryabov, M. V. Nikulin, A. V. Lygin, C. L. Coker, J. M. Canich, "Halogen substituted heteroatom-containing metallocene compounds for olefin polymerization," June 21, 2007

US 7,223,822 B2 R. Abhari, C. L. Sims, P. Jiang, D. R. Johnsrud, J. M. Canich, "Multiple catalyst and reactor system for olefin polymerization and polymers produced therefrom," May 29, 2007

US 7,214,746 B2 A. Z. Voskoboynikov, D. N. Kazyulkin, V. V. Izmer, A. N. Ryabov, J. M. Canich, "Phosphorus bridged metallocene compounds for olefin polymerization," May 8, 2007

US 7,214,747 B2 A. Z. Voskoboynikov, D. N. Kazyulkin, V. V. Izmer, A. N. Ryabov, J. M. Canich, "Phosphorus substituted metallocene compounds for olefin polymerization," May 8, 2007

US 7,205,364 B1 J. M. Canich, "Olefin polymerization catalysts," April 17, 2007

WO 2007011459 A1 M. Wu, N. Yang, L. S. Baugh, J. M. Canich, S. P. Rucker, J. F. Walzer, G. H. Lee, F. Y. Lo, A. Jackson, M. Hagermeister, S. Tirmizi, P. Jiang, C. S. Chee, "Polyalpha-olefin compositions and processes to produce the same," January 25, 2007

US 7,163,907 B1 J. M. Canich, H. W. Turner, G. G. Hlatky, "Aluminum-free monocyclopentadienyl metallocene catalysts for olefin polymerization," January 16, 2007

US 7,160,834 B2 B. Zhao, K. R. Squire, S. Kacker, J. M. Canich, "Soluble group-10 α -diimine catalyst precursors, catalysts and methods for dimerizing and oligomerizing olefins," January 9, 2007

US 7,161,018 B2 B. Zhao, E. Berluche, S. Kacker, J. M. Canich, "Soluble late transition metal catalysts for olefin oligomerizations II," January 9, 2007

EP 1513854 B1 B. Zhao, E. Berluche, S. Kacker, J. M. Canich, "Soluble late transition metal catalysts for olefin oligomerizations," November 29, 2006

US 7,084,223 B2 G. A. Vaughan, P. T. Matsunaga, D. E. Gindelberger, J. M. Canich, K. R. Squire, "Supported late transition metal catalyst systems," August 1, 2006

US 7,067,450 B2 B. Zhao, S. Kacker, J. M. Canich, E. Berluche, "Soluble late transition metal catalysts for olefin oligomerizations III," June 27, 2006

WO 2006065468 A1 Y. Qian, J. Huang, C. L. Coker, J. M. Canich, "Metallocene complexes, their synthesis and use in catalyst systems for olefin polymerization," June 22, 2006

WO 2006065809 A2 A. Z. Voskoboynikov, V. V. Izmer, A. F. Asachenko, M. V. Nikulin, A. N. Ryabov, A. Y. Lebedev, C. L. Coker, J. M. Canich, "Heteroatom bridged metallocene compounds for olefin polymerization," June 22, 2006

WO 2006065843 A2 A. Z. Voskoboynikov, M. V. Nikulin, V. V. Izmer, A. F. Asachenko, A. N. Ryabov, C. L. Coker, J. M. Canich, "Halogen substituted metallocene compounds for olefin polymerization," June 22, 2006

WO 2006065844 A2 A. Z. Voskoboynikov, A. N. Ryabov, C. L. Coker, J. M. Canich, "Process for producing substituted metallocene compounds for olefin polymerization," June 22, 2006

WO 2006065906 A2 C. L. Coker, J. M. Canich, A. Z. Voskoboynikov, A. N. Ryabov, M. V. Nikulin, V. V. Izmer, A. F. Asachenko, "Halogen substituted metallocene compounds for olefin polymerization," June 22, 2007

EP 1521758 B1 N. O. Druzhkov, I. A. Teplova, V. N. Glushakova, N. A. Skorodumova, G. A. Abakumov, B. Zhao, E. Berluche, D. N. Schulz, L. S. Baugh, C. A. Ballinger, K. R. Squire, J. M. Canich, M. P. Bubnov, V. K. Cherkasov, "Late transition metal catalysts for olefin polymerization and oligomerization," May 24, 2006

US 7,041,841 B1 J. M. Canich, "Process for producing crystalline poly- α -olefins with a monocyclopentadienyl transition metal catalyst system," May 9, 2006

US 7,037,989 B2 S. Kacker, T.D. Shaffer, J. M. Canich, E. Berluche, "Copolymers of ethylene and/or α -olefins and vicinally disubstituted olefins," May 9, 2006

US 6,984,722 B2 J. N. Christopher, K. R. Squire, J. M. Canich, T. D. Shaffer, "Cationic group 3 catalyst system," January 10, 2006

WO 2005113622 A1 R. Abhari, C. L. Sims, P. Jiang, D. R. Johnsrud, J. M. Canich, "Multiple catalyst and reactor system for olefin polymerization and polymers produced therefrom," December 12, 2005

WO 2005108410 A1 A. Z. Voskoboynikov, D. N. Kazyulkin, V. V. Izmer, A. N. Ryabov, J. M. Canich, "Phosphorus substituted metallocene compounds for olefin polymerization," November 17, 2005

WO 2005108435 A1 A. Z. Voskoboynikov, D. N. Kazyulkin, V. V. Izmer, A. N. Ryabov, J. M. Canich, "Phosphorus bridged metallocene compounds for olefin polymerization," November 17, 2005

WO 2005108442 A1 P. Jiang, K. A. Nelson, C. L. Curry, A. Dekmezian, J. M. Canich, C. L. Sims, R. Abhari, C. A. Garcia-Franco, M. Knappes, M. L. Faisset, L. E. Jacob, "Polyolefin adhesive compositions and articles made therefrom," November 17, 2005

WO 2005100501 A1 R. Abhari, C. L. Sims, K. Lewtas, P. Brant, P. Jiang, W. Y. Chow, J. Schauder, C. Gong, D. R. Johnsrud, J. M. Canich, "Polyolefin adhesive compositions and articles made therefrom," October 27, 2005

EP 551277 B2 J. M. Canich, G. G. Hlatky, H. W. Turner, "Aluminum-free monocyclopentadienyl metallocene catalysts for olefin polymerization," March 9, 2005

WO 2004106394 A1 S. Kacker, E. Berluche, T. Schaffer, J. M. Canich, "Copolymers of ethylene and/or α -olefins and vicinally disubstituted olefins," December 9, 2004

US 6,812,184 B1 G. A. Vaughan, J. M. Canich, P. T. Matsunaga, D. E. Gindelberger, K. R. Squire, K. R., "Supported late transition metal catalyst systems," November 2, 2004

WO 2004083224 A1 B. Zhao, K. R. Squire, S. Kacker, J. M. Canich, "Soluble Group-10 α -Diimine Catalyst Precursors," September 30, 2004

WO2004083224A1 B. Zhao, K. R. Squire, S. Kacker, J. M. Canich, "Soluble group-10 α -diimine catalyst precursors," September 30, 2004

WO 2004046214 A2 P. Jiang, A. Dekmezian, J. M. Canich, C. L. Sims, R. Abhari, C. A. Garcia-Franco, D. R. Johnsrud, "Multiple Catalyst System for Olefin Polymerization and Polymers Produced," June 3, 2004

WO 2004037869 A2 B. Zhao, S. Kacker, J. M. Canich, "Late Transition metal Catalysts for Olefin Oligomerizations," May 6, 2004

WO 2004037837 A1 B. Zhao, S. Kacker, J. M. Canich, "Late Transition metal Catalysts for Olefin Oligomerizations," May 6, 2004

WO 2004007509 A1 V. K. Cherkasov, N. O. Druzhkov, I. A. Teplova, V. N. Glushakova, N. A. Skorodumova, G. A. Abakumov, B. Zhao, E. Berluche, D. N. Schulz, L. S. Baugh, C. A. Ballinger, K. R. Squire, J. M. Canich, M. P. Bubnov, "Late Transition metal Catalysts for Olefin Polymerization and Oligomerization," January 22, 2004

US 6,677,441 J. N. Christopher, K. R. Squire, J. M. Canich, T. D. Shaffer, "Cationic Group 3 Catalyst System," January 13, 2004.

WO 2003102006 A1 B. Zhao, E. Berluche, S. Kacker, J. M. Canich, "Soluble Late Transition Metal Catalysts for Olefin Oligomerizations III," December 11, 2003.

WO 2003102005 A1 B. Zhao, E. Berluche, S. Kacker, J. M. Canich, "Soluble Late Transition Metal Catalysts for Olefin Oligomerizations," December 11, 2003.

US 6,638,887 J. M. Canich, "Monocyclopentadienyl Metal Compounds for Ethylene- α -Olefin Copolymer Production Catalysts," October 28, 2003.

US 6,632,898 J. M. Canich, "Monocyclopentadienyl Titanium Metal Compounds For Ethylene- α -Olefin Copolymer Production Catalysts," October 14, 2003.

US 6,617,466 J. M. Canich, "Monocyclopentadienyl Transition Metal Olefin Polymerization Catalysts," September 9, 2003.

EP 846705 B1 D. J. Crowther, R. A. Fisher, J. M. Canich, G. G. Hlatky, H. W. Turner, "Group 5 and 6 transition metal catalyst precursors," March 26, 2003

EP 907665 B1 G. A. Vaughan, J. M. Canich, P. T. Matsunaga, D. E. Gindelberger, K. R. Squire, "Supported late transition metal catalyst systems," January 22, 2003

US 6,492,473 J. M. Canich, G. A. Vaughan, P. T. Matsunaga, D. E. Gindelberger, T. D. Shaffer, K. R. Squire, "Mixed Transition Metal Catalyst Systems for Olefin Polymerizations," December 10, 2002.

US 6,455,458 J. M. Canich, "Tethered Monocyclopentadienyl Polymerization Catalysts," September 24, 2002.

US 6,423,795 J. M. Canich, H. W. Turner, G. G. Hlatky, "Tetramethylecyclopentadienyl Titanium Compounds for Ethylene- α -olefin Copolymer Production Catalysts," July 23, 2002.

US RE37788 E1 J. M. Canich, "Monocyclopentadienyl metal compounds for ethylene- α -olefin-copolymer production catalysts," July 9, 2002

US 6,403,773 J. N. Christopher, K. R. Squire, J. M. Canich, T. D. Shaffer, "Cationic Group 3 Catalyst System," June 11, 2002.

EP 672688 B2 J. M. Canich, G. G. Hlatky, H. W. Turner, "Aluminum-free monocyclopentadienyl metallocene catalysts for olefin polymerization," April 17, 2002

US 6,355,592 G. G. Hlatky, H. W. Turner, J. M. Canich, "Catalyst System of Enhanced Productivity and Its Use in Polymerization Process," March 12, 2002.

EP 548277 B1 Jo Ann M. Canich, "Process for producing crystalline poly-alpha-olefins with a monocyclopentadienyl transition metal catalyst," November 28, 2001

EP 702700 B1 D. J. Upton, J. M. Canich, G. G. Hlatky, H. W. Turner, "Supported ionic transition metal catalysts for olefin polymerization," November 7, 2001

EP 900242 B1 T. D. Shaffer, J. M. Canich, K. R. Squire, "Copolymers of ethylene and geminally disubstituted olefins," October 24, 2001

EP 766702 B1 G. A. Vaughan, A. N. Specca, P. Brant, J. M. Canich, "Polymerization catalyst systems, their production and use," October 17, 2001

US RE37,400 J. M. Canich, "Monocyclopentadienyl titanium Metal Compounds for Ethylene- α -olefin Copolymer Production Catalysts," October 2, 2001

US 6,294,625 G. G. Hlatky, H. W. Turner, J. M. Canich, "Catalyst System of Enhanced Productivity and Its Use in Polymerization Process," September 25, 2001

EP 766703 B1 J. M. Canich, "Monocyclopentadienyl metal compounds for ethylene- β (a)-olefin copolymer production catalysts," September 19, 2001

US 6,265,338 J. M. Canich, "Monocyclopentadienyl Titanium Complexes as Catalysts for Ethylene- α -olefin Copolymerization," July 24, 2001

US 6,255,410 H. Shigekazu, M. Sugawara, N. Baron, C. S. Speed, J. M. Canich, Howard Curtis Welborn, "Process for Polymerizing Olefinic Feeds Under Pressure," July 3, 2001

EP 906343 B1 J. M. Canich, G. A. Vaughan, P. T. Matsunaga, D. Gindelberger, T. D. Shafer, K. R. Squire, "Mixed transition metal catalyst systems for olefin polymerization," April 18, 2001

US 6,194,341 J. M. Canich, G. A. Vaughan, P. T. Matsunaga, D. E. Gindelberger, T. D. Shaffer, K. R. Squire, "Mixed Transition Metal Catalyst Systems for Olefin Polymerization," February 27, 2001

US 6,160,066 J. M. Canich, "Monocyclopentadienyl Metal Compounds for Ethylene- α -olefin Copolymer Production Catalysts," December 12, 2000

EP 618931 B2 J. M. Canich, "A modified monocyclopentadienyl transition metal/alumoxanes catalyst system for polymerization of olefins," November 2, 2000

EP 548257 B2 J. M. Canich, G. F. Licciardi, "Supported monocyclopentadienyl transition metal olefin polymerization catalysts," October 4, 2000

US 6,114,477 N. A. Merrill, J. M. Canich, A. H. Dekmezian, R. B. Pannell, Charles James Ruff, "Polymerization Process," September 5, 2000.

EP 906344 B1 P. T. Matsunaga, J. M. Canich, G. A. Vaughan, D. E. Gindelberger, R. S. Schiffino, D. R. Squire, R. B. Temme, "Elevated pressure polymerization processes with late transition metal catalyst systems," August 30, 2000

EP 420436 B2 J. M. Canich, "Olefin polymerization catalysts," July 19, 2000

EP 807143 B1 J. M. Canich, H. W. Yang, G. F. Licciardi, "Thermoplastic propylene elastomers and one pot/two catalysts process to produce them," March 15, 2000

US 5,955,625 J. M. Canich, "Monocyclopentadienyl Metal Compounds for Ethylene- α -olefin Copolymer Production Catalysts," September 21, 1999

WO 200018808 A1 J. N. Christopher, K. R. Squire, J. M. Canich, T. D. Shaffer "Cationic Group 3 Catalyst System," April 6, 2000

WO 2000002891 A1 J. M. Canich "Tethered Monocyclopentadienyl Transition Metal Catalysts," January 20, 2000.

EP 648230 B1 D. J. Crowther, R. A. Fisher, J. M. Canich, G. G. Hlatky, H. W. Turner, "Transition metal olefin polymerization catalysts," September 15, 1999

EP 668880 B1 G. G. Hlatky, J. M. Canich, H. W. Turner, "Polymerisation Process using a catalyst system of enhanced productivity," July 21, 1999

US 5,866,665 T. D. Shaffer, J. M. Canich, K. R. Squire "Copolymers of Ethylene and Geminally Disubstituted Olefins," February 2, 1999.

US 5,863,853 G. A. Vaughan, A. N. Specia, P. Brant, J. M. Canich "Polymerization Catalyst Systems, Their Production and Use," January 26, 1999

EP 705283 B1 J. M. Canich, "Process for producing amorphous poly-Sg(a)-olefins with a monocyclopentadienyl transition metal catalyst system," January 13, 1999

EP 646140 B1 H. W. Turner, J. M. Canich, B. J. Folie, "High temperature polymerization process using ionic catalysts to produce polyolefins," December 30, 1998

EP 766704 B1 H. C. Welborn, J. F. Walzer, V. R. Sagar, E. E. Poirot, J. M. Canich, T. J. Burkhardt, "Polymerization process and catalyst systems useful therein," December 23, 1998

EP 788521 B1 A. K. Mehta, C. S. Speed, J. M. Canich, N. Baron, B. J. Folie, M. Sugawara, A. Watanabe, H. C. Welborn, "Long-chain branched polymer and their production," December 23, 1998

US 5,844,055 P. Brant, J. M. Canich, N. A. Merrill "Ethylene/Branched Olefin Copolymers," December 1, 1998

EP 641362 B1 P. Brant, J. M. Canich, N. A. Merrill "Ethylene/Branched Olefin Copolymers," November 11, 1998

US 5,763,556 T. D. Shaffer, J. M. Canich, K. R. Squire "Copolymers of Ethylene and Geminally Disubstituted Olefins," June 9, 1998

US 5,723,560 J. M. Canich "Higher Molecular Weight Amorphous Polypropylene," March 3, 1998

WO 1997048737 A1 P. T. Matsunaga, J. M. Canich, G. A. Vaughan, D. E. Gindelberger, R. S. Schiffino, K. R. Squire, R. B. Tenme "Elevated Pressure Polymerization Processes with Late Transition Metal Catalyst Systems," December 24, 1997

WO 1997048736 A1 G. A. Vaughan, J. M. Canich, P. T. Matsunaga, D. E. Gindelberger, K. R. Squire "Supported Late Transition Metal Catalyst Systems," December 24, 1997

WO 1997048735 A1 J. M. Canich, G. A. Vaughan, P. T. Matsunaga, D. E. Gindelberger, T. D. Shaffer, K. R. Squire "Mixed Transition Metal Catalyst Systems for Olefin Polymerization," December 24, 1997

WO 1997044370 A1 T. D. Shaffer, J. M. Canich, K. R. Squire "Copolymers of Ethylene and Geminally Disubstituted Olefins," November 27, 1997.

WO 1997029138 A1 N. A. Merrill, J. M. Canich, A. H. Dekmezian, R. B. Pannell, C. J. Ruff, "Continuous Gas-phase Polymerization Process for Polymerizing Olefin(s) Utilizing a Metallocene Catalyst System," August 14, 1997

EP 616618 B1 P. Brant, J. M. Canich, "Ethylene/longer alpha-olefin copolymers," July 2, 1997

EP 615523 B1 N. Baron, S. Hayashi, M. Sugawara, J. M. Canich, C. S. Speed, H. C. Welborn, "Process for polymerizing olefinic feeds under pressure," June 25, 1997

US 5,635,573 B. A. Harrington, G. G. Hlatky, J. M. Canich and N. A. Merrill "Method for Preparing alpha-Olefin/Cycloolefin Copolymers," June 4, 1997

US 5,631,391 J. M. Canich "Monocyclopentadienyl Titanium Metal Compounds for Ethylene- α -olefin Copolymer Production Catalysts," May 20, 1997

US 5,621,126 J. M. Canich "Monocyclopentadienyl Metal Compounds for Ethylene- α -Olefin-Copolymer Production Catalysts," April 15, 1997

EP 491842 B1 J. M. Canich, "Monocyclopentadienyl transition metal olefin polymerization catalysts," April 9, 1997

EP 672688 B1 J. M. Canich, "Aluminum-free monocyclopentadienyl metallocene catalysts for olefin polymerization," September 18, 1996 18

WO 1996023838 A1 J. M. Canich, H. W. Yang, G. F. Licciardi, "Thermoplastic propylene elastomers and one pot/two catalysts process to produce them," August 8, 1996

US 5,539,056 H. W. Yang, J. M. Canich and G. F. Licciardi, "Flexible and Strong Amorphous/Crystalline Polypropylene Blend Compositions for Thermoplastic Elastomers," July 23, 1996

US 5,516,848 J. M. Canich, H. W. Yang and G. F. Licciardi, "Process for Producing Polypropylene Blends Having Elastomeric Properties," May 14, 1996

WO 1996012744 A1 A. K. Mehta, C. S. Speed, J. M. Canich, N. Baron, B. J. Folie, M. Sugawara, A. Watanabe and H. C. Welborn Jr., "Preparation of Long-chain Branched Polymers from Three Types of Monomers with Various Ziegler-Natta Polymerizable Bonds," May 2, 1996

US 5,504,169 J. M. Canich "Process for Producing Amorphous Poly- α -Olefins with a Monocyclopentadienyl Transition Metal Catalyst System," April 2, 1996

US 5,504,049 D. J. Crowther, R. A. Fisher, J. M. Canich, G. G. Hlatky and H. W. Turner, "Transition Metal of High Oxidation State for Olefin Polymerization Catalysts," April 2, 1996

US 5,502,124 D. J. Crowther, R. A. Fisher, J. M. Canich, G. G. Hlatky and H. W. Turner, "Transition Metal Olefin Polymerization Processes" issued March 26, 1996.

EP 569388 B1 J. M. Canich, H. W. Turner, "An amido transition metal compound and a catalyst system for the production of isotactic polypropylene," March 13, 1996

WO 1996000244 A1 J. M. Canich, "Monocyclopentadienylmetal Compounds for Ethylene- α -Olefin Copolymer Production Catalysts," January 4, 1996

WO 1996000245 A1 G. A. Vaughan, A. N. Specca, P. Brant and J. M. Canich, "Olefin Polymerization Catalyst Systems, their Production and Use," January 4, 1996

WO 1996000246 A1 H. C. Welborn Jr., J. F. Walzer, V. R. Sagar, E. E. Poirot, J. M. Canich and T. J. Burkhardt, "Continuous Gas-phase Polymerization of Olefins in the Presence of Metallocene Catalysts," January 4, 1996

US 5,475,075 P. Brant and J. M. Canich, "Ethylene/Longer α -olefin Copolymers," December 12, 1995

US 5,444,145 P. Brant, J. M. Canich and N. A. Merrill, "Ethylene/Branched Olefin Copolymers," issued August 22, 1995

US 5,420,217 J. M. Canich, "Process for Producing Amorphous Poly- α -olefins with a monoCyclopentadienyl Transition Metal Catalyst System," May 30, 1995

WO 1995000562 A1 J. M. Canich, "Process for producing amorphous poly- α -olefins with a monocyclopentadienyl transition metal catalyst system," January 5, 1995

WO 1994007927 A1 G. G. Hlatky, J. M. Canich, H. W. Turner, "Catalyst system of enhanced productivity and its use in polymerization process," April 14, 1994

WO 1994007930 A1 P. Brant, J. M. Canich, A. J. Dias, R. L. Bamberger, G. F. Licciardi, P. M. Henrichs, "Long chain branched polymers and a process to make long chain branched polymers," April 14, 1994

US 5,408,017 H. W. Turner, J. M. Canich and B. J. Folie "High Temperature Polymerization Process using Ionic Catalysts to Produce Polyolefins," April 18, 1995

US 5,318,935 J. M. Canich and H. W. Turner, "Amido Transition Metal Compound and a Catalyst System for the Production of Isotactic Polypropylene," June 7, 1994.

WO 1994003506 A1 D. J. Upton, J. M. Canich, G. G. Hlatky and H. W. Turner, "Supported Ionic Transition Metal Catalysts and their Manufacture for Olefin Polymerization," February 17, 1994

WO 1994001471 A1 D. J. Crowther, R. A. Fisher, J. M. Canich, G. G. Hlatky, H. W. Turner, "Transition metal olefin polymerization catalysts," January 20, 1994

WO 1994000500 A1 R. B. Pannell, J. M. Canich and G. G. Hlatky, "Solution Phase Polymerization Utilizing Metallocene Catalysts with Production of Olefin Polymers," January 6, 1994

WO 1993025590 A1 H. W. Turner, J. M. Canich, B. J. Folie, "High temperature polymerization process using ionic catalysts to produce polyolefins," December 23, 1993

WO 1993021242 A1 P. Brant, J. M. Canich and N. A. Merrill, "Ethylene-branched Olefin Copolymers," October 28, 1993

US 5,264,405 J. M. Canich, "Monocyclopentadienyl Titanium Metal Compounds for Ethylene- α -olefin-copolymer Production Catalysts," November 23, 1993

WO 1993019103 A1 H. W. Turner, G. G. Hlatky and J. M. Canich, "Ionic Catalyst for the Production of Poly- α -olefins of Controlled Tacticity," September 30, 1993

US 5,227,440 J. M. Canich and Gary F. Licciardi, "Mono-Cp Heteroatom Containing Group IVB Transition Metal Complexes with MAO: Supported Catalysts for Olefin Polymerization," July 13, 1993.

WO 1993013140 A1 J. M. Canich, "A Modified Monocyclopentadienyl Transition Metal/Aluminoxane Catalyst System for Polymerization of Olefins," July 8, 1993

WO 1993012151 A1 P. Brant and J. M. Canich, "Copolymers of Ethylene and Higher α -olefins and Catalysts for their preparation," June 24, 1993

WO 1993011171 A1 N. Baron, S. Hayashi, M. Sugawara, J. M. Canich, C. S. Speed and H. C. Welborn, "Process for Polymerizing Olefinic Feeds Under Pressure," June 10, 1993

WO 1992012162 A1 J. M. Canich and H. W. Turner, "New Amido Transition Metal Compounds," July 23, 1992

WO 1992005204 A1 J. M. Canich, "Process for producing crystalline poly- α -olefins with a monocyclopentadienyl transition metal catalyst system," April 2, 1992

WO 1992005203 A1 J. M. Canich, G. F. Licciardi, "Supported monocyclopentadienyl transition metal olefin polymerization catalysts," April 2, 1992

US 5,096,867 J. M. Canich, "Monocyclopentadienyl Transition Metal Olefin Polymerization Catalysts," March 17, 1992

WO 1992001006 A1 J. M. Canich, "Group IVB, VB and VIB metal hydrocarbyloxides, with alumoxanes for olefin polymerization," January 23, 1992

WO 9200333 A2 J. M. Canich, G. G. Hlatky and H. W. Turner,
"Monocyclopentadienyl Metallocene Catalyst for Olefin Polymerization," January
9, 1992

US 5,079,205 J. M. Canich, "Group IVB, VB and VIB Metal Hydrocarbyloxides
with Alumoxane for Olefin Polymerization," January 7, 1992

US 5,057,475 J. M. Canich and G. F. Licciardi, "Mono-Cp Heteroatom
Containing Group IVB Transition Metal Complexes with MAO: Supported
Catalysts for Olefin Polymerization," October 15, 1991.

US 5,055,438 J. M. Canich, "Olefin Polymerization Catalysts," October 8, 1991

US 5,026,798 J. M. Canich, "Process for Producing Crystalline Poly- α -Olefins
with a Monocyclopentadienyl Transition Metal Catalyst System," June 25, 1991

WO 9104257 J. M. Canich, "Olefin Polymerization Catalysts," April 4, 1991

External Presentations:

Copolymers of Ethylene and 2-Butenes using Cp-Amido Titanium Catalysts J. M. Canich NSF Inorganic Chemistry Workshop, Blaine, Washington, June 2006

Single-Site Catalysts for Olefin Polymerization J. M. Canich Florida Institute of
Technology, Melbourne, Florida, March 1998 (Oak Ridge Associated Universities
Visiting Industrial Scholar)

Single-Site Catalysts for Olefin Polymerization J. M. Canich Southwest Regional
ACS Meeting, Houston, Texas 1996

Single-Site Catalysts for Olefin Polymerization J. M. Canich Inorganic Gordon
Conference, Henniker, New Hampshire 1996

Organometallic Approaches to Ziegler-Natta Polymerizations of Olefins J. M. Canich NSF Organometallic Workshop, Queenstown, MD 1995 (Note: This was
a different talk than the previous ones with the same title.)

Organometallic Approaches to Ziegler-Natta Polymerizations of Olefins J. M. Canich Contemporary Inorganic Chemistry: A symposium in Honor of F. A.
Cotton, College Station, Texas 1995 (Note: This was a different talk than the
previous one with the same title.)

Organometallic Approaches to Ziegler-Natta Polymerizations of Olefins. J. M. Canich Organometallic Gordon Conference, New Port, Rhode Island 1992.

Reaction Chemistry of Compounds Containing Group 5 and 6 Multiple Metal-
Metal Bonds: Formation of Edge-Sharing Bioctahedra, J. M. Canich Iota Sigma
Pi - Neptunium Chapter Meeting, Houston, Texas 1987.

Structural and Theoretical Considerations in Tantalum and Niobium
 $M_2Cl_6(SMe_2)_4$ and $M_2Cl_6(dto)_2$ Complexes. J. M. Canich and F. A. Cotton.
192nd National Meeting, Anaheim, California 1986.

A New d^1-d^1 Ditantalum Complex Containing Two Thiophenolate Bridges, Six
Terminal Chlorine Atoms and Two Terminal Dimethyl Sulfide Molecules. J. M.
Canich, F. A. Cotton and S. A. Duraj. 190th ACS National Meeting, Chicago,
Illinois 1985.

Networking (Panel Member). Iota Sigma Pi Triennial Convention, Portland,
Oregon 1984.

Chemistry of Stable Perfluorinated Hypochlorites-F-(tert-Butyl)Hypochlorite. J.
M. Canich, G. L. Gard and J. M. Shreeve. 39th ACS Northwest Regional
Meeting, Moscow, Idaho 1984.

Derivatives of Trifluorovinyl Pentafluoride. R. DeBuhr, J. Howbert, J. M. Canich,
H. F. White and G. L. Gard, 37th Northwest Regional Meeting, Eugene, Oregon
1982.

X. APPENDIX: RELATED PROCEEDINGS

USSN 10/693,584, filed October 24, 2003 is also under appeal, no decisions have been reached as of the filing date of this Brief.